

# Ceria Stabilized Zirconia Powder "Ready to Press" (RTP)

## **SECTION 1: Identification**

#### **Product identifier**

Product name Ceria Stabilized Zirconia Powder (RTP)

Substance name Ceria Stabilized Zirconia

 $X(CeO_2) \bullet Y(ZrO_2)$ 

Other names / synonyms Ceria Stabilized Zirconia Powder RTP, CSZ

## Recommended use of the chemical and restrictions on use

For forming pressed compacts and fired ceramic components.

## Supplier's details

Name Superior Technical Ceramics Address 600 Industrial Park Road

St. Albans, Vermont 05478

USA

Telephone 802-527-7726 Fax 802-527-1181

**Emergency phone number(s)** 

802-527-7726

## **SECTION 2: Hazard identification**

#### Classification of the substance or mixture

Not a hazardous substance or mixture

## GHS label elements, including precautionary statements

Not a hazardous substance or mixture

#### Other hazards which do not result in classification

Not a hazardous substance or mixture

## **SECTION 3: Composition/information on ingredients**

### Components

#### 1. Zirconium oxide

Concentration 79 - 97 %

Other names / synonyms Zirconium oxide CAS no. 2irconium oxide

#### 2. Cerium oxide

# Ceria Stabilized Zirconia Powder "Ready to Press" (RTP)

Concentration 0-10%

Other names / synonyms Ce

CAS no.

Cerium Oxide

3. Hafnium Oxide

Concentration 0 - 1 %

Other names / synonyms Hafnium Oxide CAS no. 12055-23-1

4. Organic Binders

Concentration 3 - 10 %

Other names / synonyms Organic Binders

## **SECTION 4: First-aid measures**

#### Description of necessary first-aid measures

If inhaled Move to fresh air and consult with local medical personnel if discomfort

persists.

In case of skin contact Wash affected area with soap and water and consult with local medical

personnel if irritation persists.

In case of eye contact Flush with tepid water for a minimum of 15 minutes and consult with local

medical personnel if discomfort persists.

If swallowed Administer water to dilute, but not if person is unconscious. Consult with

local medical personnel if discomfort persists.

## **SECTION 5: Fire-fighting measures**

#### Suitable extinguishing media

Use any means suitable for extinguishing surrounding fire.

## Specific hazards arising from the chemical

Possible Class A fire hazard – combustible vapors can develop in the headspace over the product. Flash point is 220°C (428°F).

# Special protective actions for fire-fighters

Use protective clothing and breathing equipment appropriate for the surrounding fire and to protect against the dust that may be dispersed in the air.

## **Further information**

Releases CO and CO2 in a fire and at temperatures >220°C (428°F).

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

# Ceria Stabilized Zirconia Powder "Ready to Press" (RTP)

Sweep up any spills and place in containers for disposal or reclaim. Vacuuming or wet sweeping may be used to avoid excessive dust.

#### Methods and materials for containment and cleaning up

Any dust from machining should be wet mopped or dry vacuumed.

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Store in a cool dry place. Any dust should be wet mopped.

# **SECTION 8: Exposure controls/personal protection**

## **Control parameters**

#### 1. Inert or Nuisance Dust, Total dust\*

PEL (Inhalation): 15 mg/m3 (OSHA) OSHA Annotated Table Z-3, www.osha.gov

## 2. Inert or Nuisance Dust, Respirable fraction\*

PEL (Inhalation): 5 mg/m3 (OSHA)

OSHA Annotated Table Z-3, www.osha.gov

### **Appropriate engineering controls**

Local or general exhaust ventilation recommended.

### Individual protection measures, such as personal protective equipment (PPE)

#### Eve/face protection

Safety goggles in the presence of airborne dust.

#### Skin protection

Polymer gloves for prolonged dust exposure.

#### Respiratory protection

NIOSH/MSHA approved respirator for dust when exposure limit is exceeded.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form White, Flowable Powder Odor Odorless Odor threshold N/A Hq N/A Melting point N/A Initial boiling point and boiling range N/A Flash point N/A Evaporation rate N/A Flammability (solid, gas) N/A

<sup>\*</sup>All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z1

# Ceria Stabilized Zirconia Powder "Ready to Press" (RTP)

Upper/lower flammability limits

Upper/lower explosive limits

Vapor pressure

Vapor density

Relative density

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Solubility(ies) Organic Portion Soluble in Water

Partition coefficient: n-octanol/water N/A
Auto-ignition temperature N/A
Decomposition temperature N/A
Viscosity N/A
Explosive properties N/A
Oxidizing properties N/A

# **SECTION 10: Stability and reactivity**

### **Chemical stability**

Stable

## Hazardous decomposition products

CO and CO2 in a fire and at temperatures >220°C (428°F).

# **SECTION 11: Toxicological information**

No Applicable Information Found

## **SECTION 12: Ecological information**

No Applicable Information Found

## **SECTION 13: Disposal considerations**

#### Disposal of the product

This material is not hazardous per 40 CFR 261. Consultation with federal, state and local officials is recommended before disposal.

# **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

## IATA

Not dangerous goods

# **SECTION 15: Regulatory information**

**US FEDERAL** 

**TSCA** 

# Safety Data Sheet Ceria Stabilized Zirconia Powder "Ready to Press" (RTP)

CAS# 1314-23-4 Zirconium Oxide is listed on the TSCA inventory. CAS# 1306-38-3 Cerium Oxide is listed on the TSCA inventory. CAS# 12055-23-1 Hafnium Oxide is listed on the TSCA inventory

**SARA Section 302 Extremely Hazardous Substances** 

Substance Not Listed.

Section 313

Substance Not Listed.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

#### **US STATE**

No Applicable Information Found

California Prop 65

No components on list.

## **SECTION 16: Other information**

#### Further information/disclaimer

Although reasonable care has been taken to provide accurate and current information in preparation of this document, Superior Technical Ceramics extends no warranties, makes no representation and assumes no responsibility for any loss, damage, or injury of any kind which may result from reliance of information provided in this document by any person.

### **Preparation Information**

Prepared by: Superior Technical Ceramics 1-802-527-7726 lab@ceramics.net

Prepared on: June 1, 2015

Last Revision: --