

#### **SECTION 1: Identification**

#### **Product identifier**

Product name Dense Magnesia Stabilized Zirconia Ceramic

Substance name Magnesia Stabilized Zirconia

 $X(MgO) \bullet Y(ZrO_2)$ 

Other names / synonyms Magnesia Stabilized Zirconia Ceramic,

Mag Stabilized Zirconia, MSZ; (MSZ-200, MSZ-300),TTZ

#### Recommended use of the chemical and restrictions on use

**Technical Ceramic Components** 

## Supplier's details

Name Superior Technical Ceramics Address 600 Industrial Park Road

St. Albans, Vermont 05478

USA

Telephone 802-527-7726 Fax 802-527-1181

**Emergency phone number(s)** 

802-527-7726

## **SECTION 2: Hazard identification**

This product is considered an article and does not pose any health hazard under normal use. The health effects listed below may be relevant when dust is generated during machining or other processing conditions.

#### Classification of the substance or mixture

Not a hazardous substance or mixture.

## GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

## Other hazards which do not result in classification

Not a hazardous substance or mixture.

# **SECTION 3: Composition/information on ingredients**

# Components

#### 1. Zirconium oxide

Concentration 80 - 99 %

Other names / synonyms Zirconium oxide CAS no. 1314-23-4

2. Magnesium oxide

Concentration 0 - 10 %

Other names / synonyms Magnesium oxide

CAS no. 1309-48-4

3. Hafnium Oxide

Concentration 0 - 1 %

Other names / synonyms Hafnium Oxide CAS no. 12055-23-1

#### **SECTION 4: First-aid measures**

## Description of necessary first-aid measures

General advice Hazard is principally that of a nuisance dust only as a byproduct of

machining. Coughing or shortness of breath may occur in cases of

excessive inhalation.

If inhaled Move to fresh air and consult with local medical personnel if discomfort

persists.

In case of skin contact Wash affected area with soap and water and consult with local medical

personnel if irritation persists.

In case of eye contact Flush with tepid water for a minimum of 15 minutes and consult with local

medical personnel if discomfort persists.

If swallowed Administer water to dilute, but not if person is unconscious. Consult with

local medical personnel if discomfort persists.

# **SECTION 5: Fire-fighting measures**

#### Suitable extinguishing media

Use any means suitable for extinguishing surrounding fire.

#### Special protective actions for fire-fighters

Use protective clothing and breathing equipment appropriate for the surrounding fire and to protect against the dust that may be dispersed in the air.

# **SECTION 6: Accidental release measures**

## Methods and materials for containment and cleaning up

Any dust from machining should be wet mopped or dry vacuumed.

# **SECTION 7: Handling and storage**

#### Precautions for safe handling

Any dust from machining should be wet mopped or dry vacuumed.

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### 1. Magnesium oxide fume - Total Particulate (CAS: 1309-48-4)

PEL (Inhalation): 15 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 2. Magnesium oxide fume - Total Particulate (CAS: 1309-48-4)

PEL (Inhalation): 10 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

#### 3. Magnesium oxide fume - Total Particulate (CAS: 1309-48-4)

REL (Inhalation): See Appendix D (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

#### Appropriate engineering controls

Local or general exhaust ventilation recommended.

#### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Safety goggles in the presence of airborne dust.

## Skin protection

Polymer gloves for prolonged dust exposure.

## Respiratory protection

NIOSH/MSHA approved respirator for dust when exposure limit is exceeded.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance/form White, Light Yellow or Tan Solid

Odor Odorless Odor threshold N/A Hq N/A

Melting point 2200°C (4000°F)

Initial boiling point and boiling range N/A Flash point N/A Evaporation rate N/A Flammability (solid, gas) N/A Upper/lower flammability limits N/A Upper/lower explosive limits N/A Vapor pressure N/A Vapor density N/A Relative density

5.6-5.8 g/cc

Solubility(ies) N/A Partition coefficient: n-octanol/water N/A Auto-ignition temperature N/A Decomposition temperature N/A Viscosity N/A

# Safety Data Sheet

# **Dense Magnesia Stabilized Zirconia Ceramic**

Explosive properties Oxidizing properties N/A N/A

# **SECTION 10: Stability and reactivity**

**Chemical stability** 

Stable

# **SECTION 11: Toxicological information**

No Applicable Information Found

# **SECTION 12: Ecological information**

No Applicable Information Found

# **SECTION 13: Disposal considerations**

#### Disposal of the product

This material is not hazardous per 40 CFR 261. Consultation with federal, state and local officials is recommended before disposal.

# **SECTION 14: Transport information**

DOT (US)

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

## **SECTION 15: Regulatory information**

#### **US FEDERAL**

#### **TSCA**

CAS# 1314-23-4 Zirconium Oxide is listed on the TSCA inventory.

CAS# 1309-48-4 Magnesium Oxide is listed on the TSCA inventory.

CAS# 12055-23-1 Hafnium Oxide is listed on the TSCA inventory.

#### **SARA Section 302 Extremely Hazardous Substances**

Substance Not Listed.

Section 313

Substance Not Listed.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

## **US STATE**

CAS# 1309-48-4 Magnesium Oxide can be found on the following state right to know lists:

Florida, Illinois, New Jersey, Pennsylvania, Texas (regulated under a synonym). Consult your state and local resources for further information.

## California Prop 65

No components on list.

## **SECTION 16: Other information**

#### Further information/disclaimer

Although reasonable care has been taken to provide accurate and current information in preparation of this document, Superior Technical Ceramics extends no warranties, makes no representation and assumes no responsibility for any loss, damage, or injury of any kind which may result from reliance of information provided in this document by any person.

#### **Preparation Information**

Prepared by: Superior Technical Ceramics 1-802-527-7726 lab@ceramics.net

Prepared on: June 1, 2015

Last Revision: --